


PATTERN |422-01 | BABY 0-12 MONTHS

MILLIAN & MILLA NEWBORN SET

BABY ULI



PATTERN | 422-01

MILLIAN & MILLA NEWBORN SET

DESIGN

Anne-Kirsti Espenes

YARN

BABY ULL 100 % superwash merino, 50 grams = approx. 165 metres

SIZES

Cardigan, romper, bonnet

0-1 (3) 6 (9) 12 months

Hat

0-1 (3-6) (9-12) months

Booties

0-3 (6-9) 12 months

NOTE! See MEASUREMENTS to find the right size

MEASUREMENTS

Cardigan

Upper body approx. 48 (51) 54 (58) 61 cm Full length approx. 22 (24) 26 (29) 31 cm Sleeves approx. 13 (14) 16 (17) 19 cm

Romper

Upper body approx. 41 (43) 46 (49) 52 cm Inseam approx. 17 (19) 21 (24) 27 cm **Blanket** approx. 74 x 74 cm

YARN REQUIREMENTS

Cardigan

Colour 1 2 (2) 3 (4) 4 balls

Romper

Colour 1 3 (3) 4 (4) 5 balls

Hat, bonnet, or booties

Colour 1 1 ball in all sizes

Blanket

Colour 2 5 balls

COLOURS

Colour 1 Denim 8506 Colour 2 White 0010

SUGGESTED NEEDLES

2 mm and 2.5 mm long and short circular needles and DPNs 3.5 mm long circular needles

ACCESSORIES

Cardigan 5–6 buttons Romper 4 buttons

GAUGE

30 sts in pattern on 2.5 mm needles = 10 cm 32 sts of stocking st on 2.5 mm needles = 10 cm 22 sts in pattern on 3.5 mm needles = 10 cm



Check your gauge by working a swatch.

Count the number of sts per 10 cm. If you have more sts than suggested, change to a larger needle size. If you have fewer sts change to a smaller needle size.

FIND THE RIGHT SIZE

- 1. Measure a garment that fits.
- 2. Compare your measurements with those in the pattern.
- 3. Select a size based on the upper body measurements.
- 4. Body and sleeves may be worked longer or shorter as desired.

ABBREVIATIONS

k = knit, p = purl, st = stitch, R = round/row,
 DPN = double pointed needles, k2tog = knit 2 together,
 m = marker, PM = place marker, Y/O = yarn over,
 tbl = through back loop, RS/WS = right/wrong side

CARDIGAN

FRONT AND BACK PIECES

Using 2 mm needles, cast on 141 (151) 161 (171) 181 sts and work 8 R garter stitch flat = 4 ridges. PM in each side with 71 (77) 81 (85) 89 sts for the back piece and 35 (37) 40 (43) 46 sts on each front piece. Change to 2.5 mm needles og work according to diagram $\bf A$, inside 1 edge st on each side. When you've worked the full diagram, the piece will measure approx. 11 (12) 13 (15) 17 cm. If needed, work stocking st to

© House of Yarn AS

The copying and publication of materials and patterns, or their use for commercial purposes, is not allowed without prior agreement with House of Yarn AS.

the correct length. Work 1 R stocking st and cast off 8 sts in each side for armholes (= 4 sts on each side of each m) = (31) 33 (36) 39 (42) sts for the front piece and (63) 69 (73) 77 (81) sts for the back piece. Lay aside and work the sleeves.

SLEEVES

Using 2 mm needles, cast on 39 (41) 43 (45) 47 sts and work in the round: *P 1 R, K 1 R*, repeat from *-* 3 times in total, and finish with P 1 R. PM around the first and last sts = m sts. Change to 2.5 mm needles and work the first 7 R of pattern according to diagram **A**. On the next R, increase 1 st on each side of the m sts. Repeat the increases every cm, 9 (10) 11 (11) 12 times in total = 57 (61) 65 (67) 71 sts. Work stocking st until the sleeve measures 13 (14) 16 (17) 19 cm. On the last round, cast off 8 sts under the sleeve (= m sts + 3 sts on each side) = 49 (53) 57 (59) 63 sts.

YOKE

Place the right front piece, right sleeve, back piece, left sleeve and left front piece on the same 2.5 mm circular needles = 223 (241) 259 (273) 291 sts. PM in each transition = 4 m. Work stocking st flat, beginning with a RS R. On R3, decrease for raglan by working until 3 st before each m, K2tog tbl, K2, K2tog = 8 sts decreased in total. Repeat the raglan decreases every 2nd R, 13 (14) 15 (16) 17 times in total = 119 (129) 139 (145) 155 sts. Continue working raglan decreases on every 2nd R as before, **while at the same time** casting off for neckline every 2nd R: 4,3,2 (4,3,2) 5,3,2,2 (5,3,2,2) 6,3,2,2 sts, then 1 st until the raglan decreases meet the neckline. Place remaining sts on a st holder.

ASSEMBLY

Join underarm seams.

NECKLINE

Pick up approx. 6 sts per 2 cm along the neckline, using 2 mm needles. Work in the sts from the st holder. K 4 rows. Cast off with K sts from WS.

LEFT FRONT EDGE GIRL/RIGHT FRONT EDGE BOY

Pick up approx. 15 sts per 5 cm using 2 mm needles. K 6 rows. Cast off with K sts from WS.

RIGHT FRONT EDGE GIRL/LEFT FRONT EDGE BOY

Work in the same way as the left/right front edge but work 5–6 buttonholes along the edge, the top one by the neckline and the bottom one approx. 1 cm from the bottom edge. Cast off 2 sts for each buttonhole. On next R cast on 2 new sts over the cast-off sts. Sew on the buttons.

ROMPER

Begin with one leg. Cast on 40 (42) 46 (48) 52 sts on 2 mm needles. Work rib in the round (K1, P1) for 4 cm. Change to 2.5 mm needles. K 1 R, **while at the same time** increasing 18 (18) 18 (20) 18 sts evenly spaced = 58 (60) 64 (68) 70 sts. PM around the first and last sts (= inseam) = m sts.

Work the first 7 R according to diagram A. At the same time on R2, increase 1 st on each side of inseam m. Repeat the increases every 3rd R, 15 (17) 17 (17) 18 times in total = 88 (94) 98 (102) 106 sts. Continue working stocking st until the piece measures 17 (19) 21 (24) 27 cm. On the last round cast off 4 sts at the inseam (= m sts + 1 st on each side) = 84 (90) 94 (98) 102 sts. Work one more leg in the same way. Place both legs on 2.5 mm needles, with the increases facing each other = 168 (180) 188 (196) 204 sts. PM around the middle 2 sts on both front and back pieces. Further measurements will be taken from here. Work stocking st in the round. On R1 decrease 1 st on each side of each m st: K2tog tbl before m and K2tog after m = 4 sts decreased. Repeat these decreases every 2nd R, 5 times in total = 148 (160) 168 (176) 184 sts. Work until the piece measures 15 (17) 19 (20) 21 cm from the join. PM in each side, with 74 (80) 84 (88) 92 sts for the front and back pieces. Make the romper longer at the back as follows: Work until 6 sts before 1st m, turn and work until 6 sts before 2nd m, turn and work until 12 sts before 1st m. Continue like this until you have turned 5 (5) 6 (6) 6 times on each side. Work 1 round while decreasing 9 (11) 11 (9) 9 sts evenly spaced on the back piece and 9 (11) 11 (9) 9 sts evenly spaced on the front piece = 130 (138) 146 (158) 166 sts. Work according to diagram **B**. When the piece measures 19 (20) 21 (22) 23 cm, measured from the middle of the crotch in front, cast off 6 (6) 6 (8) 8 sts in each side = 59 (63) 67 (71) 75 sts for the front and back pieces.

BACK PIECE

= 59 (63) 67 (71) 75 sts.

Continue with stocking st, working flat and casting off at the beginning of each R: 2,2,1 (2,2,1,1) 2,2,1,1 (2,2,1,1) 2,2,1,1 sts in each side = 49 (51) 55 (59) 63 sts. When the piece measures 6 (6.5) 6 (6.5) 7 cm from the side division, cast off the middle 19 (19) 21 (23) 25 sts for the neckline. Finish each side separately and cast off for the neckline every 2nd row: 2,2,1 sts = 10 (11) 12 (13) 14 shoulder sts. Continue working until the piece measures 8 (8.5) 9 (9.5) 10 cm from the side division. Place sts on a st holder. Work the other side in the same way but in reverse.

FRONT PIECE

= 59 (63) 67 (71) 75 sts.

Work as the back piece including decreases, but work pattern according to diagram $\bf C$ over the middle sts. Begind with a RS R. When the piece measures 3.5 (4) 4 (4.5) 5 cm from the side division, cast off the middle 11 (11) 13 (15) 17 sts for the neckline. Finish each side separately and cast off for the neck every 2nd row: 3,2,2,1,1 st = 10 (11) 12 (13) 14 shouldersts. Continue working until the piece measures 8 (8.5) 9 (9.5) 10 cm from the side division. Place sts on a st holder. Work the other side in the same way but in reverse.

NECKLINE FRONT PIECE

Pick up approx. 15 sts per 5 cm using 2 mm needles. K 2 R. Cast off with K sts from WS.

NECKLINE BACK PIECE

Work in same way as neckline on right front piece.

CUFFS

Work like the necklines.

SHOULDER STRAPS BACK PIECE

Place sts from one st holder on 2 mm needles, and pick up 2 sts on each side. Work like the neckline.

SHOULDER STRAPS FRONT PIECE

Work like shoulder straps back piece. **At the same time**, on R2, work 2 buttonholes by casting off 2 sts inside 3 sts on each side. On next R cast on 2 new sts over the cast-off sts. Join crotch seams. Sew on the buttons.

BONNET

Using 2 mm needles, cast on 83 (91) 97 (101) 107 sts. Working flat, K 8 R (= 4 ridges). Change to 2.5 mm needles. Work pattern according to diagram **D** as illustrated for your chosen size. NOTE! Size 0-1 months: Finish lace pattern Rs with K1 instead of K2tog. Sizes 3 and 9 months: Finish lace pattern Rs with K2 instead of K2tog and Y/O. Work stocking st until the piece measures 10 (11) 12 (12.5) 13 cm. Cast on 7 (8) 11 (7) 10 sts at beginning of R = 90 (99) 108 (108) 117 sts. Continue in the round with stocking st. On R3, decrease as follows: *K 8 (9) 10 (10) 11, K2tog*, repeat from *-* to the end of R = 81 (90) 99 (99) 108 sts. On R5, decrease as follows: *K 7 (8) 9 (9) 10, K2tog*, repeat from *-* to the end of R = 72 (81) 90 (90) 99 sts. Decrease like this every 2nd round, with 1 less st between each decrease until there are 18 sts left. *K2tog*, repeat *-* to end of R = 9 sts. Cut yarn, pull it through the sts, tighten gently and fasten well.

BOTTOM EDGE

Pick up 14–15 sts per 5 cm along the bottom edge = 1 R K. St count must be divisible by 2 + 1. K 3 R. Work next R as follows: *K2tog, 1 Y/O*, repeat from *-* to end of R. Finally, K across 2 R. Cast off with K sts from WS. Work an i-cord as follows: Cast on 4 sts on 2 mm DPNs and work in the round as follows: K4, *push sts to the right hand end of the needle, tighten the working yarn at the back and K4*, repeat from *-* until it's long enough. Cast off. Thread the cord through the row of holes along the bottom edge of the bonnet. You can use a knitting loom to work the cord if you wish.

HAT

Using 2 mm needles, cast on 90 (100) 110 sts and work 8 R garter stitch flat. Change to 2.5 mm needles and continue in the round. Work pattern according to diagram $\bf E$ as illustrated for your chosen size. Continue with stocking st. When the piece measures 8 (9.5) 11 cm, adjust the st count to 88 (104) 112 sts. Work next R as follows: *K2tog, K 9 (11) 12*, repeat from *-* to end of R = 80 (96) 104 sts. Work 1 R without

decreasing. Work next R as follows: *K2tog, K 8 (10) 11*, repeat from *-* to end of R. Decrease like this every 2nd R, with 1 less st between each decrease until there are 16 sts left. K 1 R. On the next R, *K2tog*, repeat from *-* until 6 sts remain. Work 6 R. Pull yarn through sts, tighten gently and weave in loose end.


BOOTIES

Cast on 43 (49) 55 sts on 2 mm needles. Work garter st flat for 8 R (= K every R). Change to 2.5 mm needles. Work pattern according to diagram **F**, then work 2 R of stocking st. Place 16 (18) 20 sts from each side on a st holder. Work 3.5 (4.5) 5.5 cm stocking st across the middle 11 (13) 15 sts. At the same time, after (0.5) 1 (1) cm, work pattern according to diagram **G** across the middle 9 sts. Place all sts on needle, while at the same time picking up 11 (14) 17 sts on each side of the middle sts = 65 (77) 89 sts. Work 2 (3) 3.5 cm of garter st. Cast off the first and last 27 (31) 36 sts = 11 (15) 17 sts left for the sole. Work approx. 6 (7) 8 cm garter st. Then, K2tog at beginning of each R until 7 (9) 11 sts remain. Cast off. Join the seams. Work an i-cord as follows: Cast on 4 sts on 2 mm DPNs and work in the round as follows: K4, *push sts to the right hand end of the needle, tighten the working yarn at the back and K4*, repeat from *-* until it's long enough. Cast off. Work one more i-cord. Thread the cords through the bottom row of holes. You can use a knitting loom to work the cords if you wish.

BLANKET

Cast on 163 sts on 3.5 mm needles. Work approx. 2.5 cm garter st flat. Continue in pattern according to diagram **H**, inside the 6 outer sts on each side which are still worked in garter st. Work until the piece measures approx. 71–72 cm. Finish with one whole repetition of the diagram. Work 2.5 garter st. Cast off.





Do you need inspiration for your next knitting project? Check out the website **houseofyarn.no**