



HEIA ONESIE

DG 464-22 | MERINO 22



DG 464-22

HEIA ONESIE

DESIGN

Liv Inger Espedal

YARN

MERINO 22 100 % extra fine merino wool,
50 grams = approx. 125 metres

Alternative yarns: LERKE, ØKO BOMULL,
NATURAL LANOLIN WOOL

SIZES

6 (12) months 2 (4) years

MEASUREMENTS

Upper body approx. 54 (54) 61 (68) cm

Full length approx. 60 (68) 74 (87) cm

Sleeves approx. 18 (21) 24 (27) cm

Inseam approx. 22 (26) 27 (35) cm

YARN REQUIREMENTS

6 (7) 8 (9) balls

COLOUR

Burnt Copper 2009

NOTE! We have updated the yarn in this pattern, as the original yarn quality is discontinued. The colours may therefore differ slightly from those shown in the picture.

ACCESSORIES

7 (8) 8 (8) buttons

SUGGESTED NEEDLES

3 mm and 3.5 mm short and long circular needles and double pointed needles (DPNs)

GAUGE

24 sts textured pattern on 3.5 mm needles = 10 cm

Check your gauge by working a swatch. Count the number of sts per 10 cm. If you have more sts than suggested, change to a larger needle size. If you have fewer sts change to a smaller needle size.

FIND THE RIGHT SIZE

1. Measure a knitted garment that fits.
2. Compare your measurements with those in the pattern.
3. Select a size based on the upper body measurements.
4. Body and sleeves may be worked longer or shorter as needed.



ABBREVIATIONS

k = knit, p = purl, st = stitch, R = round/row, DPN = double pointed needles, k2tog = knit 2 together, m = marker, PM = place marker, m1 = make one (make a new st), m1l = make one left, m1r = make one right, RS/WS = right/wrong side, Y/O = yarn over

REVERSE STOCKING ST

P on RS, K on WS.

LEGS

Cast on 48 (48) 52 (54) sts on 3 mm DPNs. Work 3 (3) 4 (4) cm rib in the round with K1 tbl, P1. Change to 3.5 mm needles and K 1 R, **while at the same time** increasing 9 (9) 13 (19) sts evenly spaced = 57 (57) 65 (73) sts. PM around 1 st at beginning of R (= inseam), and PM between the 2 middle sts on R (outside leg). Work pattern according to diagram.

NOTE! The last st before the outside leg m should be P, as per the arrow in the diagram.

This is to ensure symmetry between the body and the rest of the piece. Work until the piece measures 22 (26) 27 (35) cm. Set aside and work the other leg in the same way.

© House of Yarn AS

The copying and publication of materials and patterns, or their use for commercial purposes, is not allowed without prior agreement with House of Yarn AS.

BODY

Place both legs onto 3.5 mm circular needles and **cast on** 8 sts between the legs, both in the front and back = 130 (130) 146 (162) sts. Keep both outer leg m (= side m), and PM mid-front and mid-back. Work in the round until the piece measures 4 (5) 9 (9) cm from the join. Cast off the 7 middle sts in front (you will work a button band here later). Continue working flat in pattern until the piece measures 29 (32) 33 (36) cm from the join. Cast off 8 sts on each side for the armholes (4 sts on each side of each m) = 57 (57) 65 (73) sts on the back piece, and 25 (25) 29 (33) sts on each front piece. Set aside and work the sleeves.

SLEEVES

Cast on 34 (36) 38 (44) sts on 3 mm DPNs. Work 2 (3) 3 (3) cm rib in the round with K1 tbl, P1. Change to 3.5 mm DPNs. Work 1 R of stocking st and increase 6 sts evenly spaced = 40 (42) 44 (50) sts. PM at the beginning of R. Work **reverse stocking st** in the round and m1 on each side of the m every 2.5 (2) 2.5 (2.5) cm until you have 48 (52) 58 (62) sts. Work until the sleeve measures 18 (21) 24 (27) cm. Cast off 4 sts on each side of m = 40 (44) 50 (54) sts. Work one more sleeve.

RAGLAN DECREASES

Work pattern according to diagram on the front and back pieces, and reverse stocking st on the sleeves.

Place all pieces on 3.5 mm circular needles: 25 (25) 29 (33) sts for right front piece, 40 (44) 50 (54) sts for right sleeve, 57 (57) 65 (73) sts for back piece, 40 (44) 50 (54) sts for left sleeve, and 25 (25) 29 (33) sts for the left front piece = 187 (195) 223 (247) sts. Work flat in the same way as before. R begins mid-front. PM in each join between the pieces = 4 m. From now on, 1 st before each m and 1 st after each m should be K from RS and P from WS (= m sts). Start working raglan decreases on R3: K2tog tbl before the 2 m sts, and K2tog after the m sts. Repeat the raglan decreases every 2nd R, 8 (9) 10 (11) times in total = 123 (123) 143 (159) sts. Cast off 9 (9) 10 (11) sts on each side for the neckline. Continue casting off 1 st on every 2nd R (**while at the same time** decreasing for raglan as before), until the neckline decreases reach the raglan decreases. Cast off.

NECKLINE

Using 3 mm needles, pick up approx. 12 sts per 5 cm around the neckline, and work a rib (K1 tbl, P1) for 3 cm.

NOTE! Remember to work the P sts on WS as K tbl. Cast off with K tbl and P sts.

BUTTON BAND (right-hand side boys, left-hand side girls)

Using 3 mm needles, pick up approx. 13 sts per 5 cm along the opening in front of the onesie and across the short end of the neckline. Work a twisted rib (K1 tbl, P1) flat for 3 cm. Remember to work the P sts on the WS as K tbl. Cast off with K tbl and P sts. Mark the positions for 7 (8) 8 (8) buttons, with the top and bottom buttons approx. 1 cm from edge and the rest evenly spaced.

BUTTONHOLE BAND (left-hand side boys, right-hand side girls)

Work in same way as button band but with 7 (8) 8 (8) buttonholes corresponding to the buttons on the other band. Each buttonhole is worked as follows: K2tog tbl, 2 Y/O, K2tog. On the next R work each double Y/O as K1, P1.


ASSEMBLY

Join underarm seams, sew down edges at the bottom of the split, with the buttonhole band lying over the button band. Sew on the buttons.

HOOD

Cast on 66 (68) 72 (78) sts on 3 mm circular needles. Work a rib with K1 tbl, P1 for 4 R, inside 1 edge st on each side (K on all R). Remember to work the P sts on WS as K tbl. Change to 3.5 mm needles and continue with **reverse stocking st**, and increase 10 sts evenly spaced on R 1 = 76 (78) 82 (88) sts. Work until the piece measures 22 (23) 24 (25) cm, divide the sts onto 2 needles and graft the hood together at the top. Pick up approx. 13 sts per 10 cm on 3 mm needles along the front edge. Work a rib flat for 3 cm with K1 tbl, P1 (P sts are K tbl on the WS). Cast off with K tbl and P sts and then sew down the hood inside the neckline edge. Leave a space of approx. 6 (7) 7 (8) cm in front.

DIAGRAM



☑ K on RS, P on WS

☒ P on RS, K on WS

☑ Slip 7 sts P-wise, with working yarn held in front

☑ K1 and bring the loose thread along in front

Do you need inspiration for your next knitting project? Check out the website houseofyarn.no