

Design 49 – Merino Edition 03

# PULLOVER COOL WOOL BIG VINTAGE

## PULLOVER · COOL WOOL BIG VINTAGE

## Design 49 – Merino Edition 03



NOTE: This design works also well in COOL WOOL BIG.

Size 36/38 (40/42, 44/46, 48/50)

Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

**Materials**: Lana Grossa **Cool Wool Big Vintage** (100% extrafine Merino wool; 120 m/50 g). Size 3.5 and 4 mm needles; short size 3.5 mm circular needle.

Version A: 150 (150, 200, 200) g each in Charcoal (col 7170), Light Grey (col 7169), Green Grey (col 7168), Petrol (col 7167) and Dark Blue (col 7166).

Version B: 150 (150, 200, 200) g each in Olive (col 7161), Mustard (col 7162), Camel (col 7163), Burgundy (col 7164) and Plum (col 7165).

Rib patt: K1, p1.

St st: K on RS, p on WS.

Rev St st: P on RS, k on WS.

**Checkerboard patt**: Worked over 10 sts and 30 rows (11 sts and 30 rows / 12 sts and 34 rows / 13 sts and 34 rows). Row 1 (RS): Selvage st, [ k10 (11, 12, 13), p10 (11, 12, 13) ] 5 times, k10 (11, 12, 13), selvage st. Rows 2 - 15 (15, 17, 17): Work sts as they appear. Row 16 (16, 18, 18) (WS): As row 1. Rows 17 - 30 (17 - 30, 19 - 34, 19 - 34): Work sts as they appear. Rep rows 1 - 30 (30, 34, 34) for checkerboard patt.

Stripe patt version A: Work 30 (30, 34, 34) rows each in Charcoal (col 7170), Light Grey (col 7169), Green Grey (col 7168), Petrol (col 7167) and Dark Blue (col 7166) alternately throughout.

Stripe patt version B: Work 30 (30, 34, 34) rows each in Olive (col 7161), Mustard (col 7162), Camel (col 7163), Burgundy (col 7164) and Plum (col 7165) alternately throughout.

**Gauge**: 22 sts and 30 rows =  $10 \times 10 \text{ cm}$  in checkerboard patt on size 4 mm needles.


**Back**: With size 3.5 mm needles and Charcoal **(col 7170)** for version A or Olive **(col 7161)** for version B, cast on 112 (123, 134, 145) sts. Beg and end with a WS row, work in rib patt for 9 rows. Change to size 4 mm needles. Beg and end with a RS row, work rows 1 – 7 (7, 9, 9) of checkerboard patt. Work rows 16 – 30 (16 – 30, 18 – 34, 18 – 34) of checkerboard patt. Change to Light Grey **(col 7169)** for version A or Mustard **(col 7162)** for version B. Cont in checkerboard patt and stripe patt for desired version until piece meas 48 (48, 55, 55) cm from cast-on, ending with a WS row. Shape shoulders and neck: At each shoulder edge bind off 5 sts 6 times (6 sts 5 times, 5 sts 1 time / 6 sts 2 times, 7 sts 4 times / 7 sts 3 times, 8 sts 3 times).

At same time, when piece meas approx. 2 cm from beg of shoulder shaping and last row worked is a patt row 29 (29, 33, 33), shape neck as foll: Next row (WS) and patt row 30 (30, 34, 34): Bind off center 32 (33, 34, 35) sts. Working each side separately, bind off 5 sts at each neck edge 2 times. No sts rem.

**Front**: Work same as back until piece meas 47 (47, 52, 52) cm from cast-on, ending with a WS row. Shape neck: Next row (RS): Bind off center 28 (29, 30, 31) sts. Working each side separately, bind off 3 sts at each neck edge 2 times, 2 sts 2 times, 1 st 2 times and when same length as back to shoulders, shape shoulders same as for back. No sts rem.

**Sleeves**: With size 3.5 mm needles and Charcoal **(col 7170)** for version A or Olive **(col 7161)** for version B, cast on 52 (58, 64, 68) sts. Beg and end with a WS row, work in rib patt for 9 rows. Change to size 4 mm needles. Work in St st for 10 rows, ending with a WS row. Cont in St st and work stripe patt for desired version, working each stripe over 30 (30, 28, 26) rows. At same time, shape sleeve as foll: Inc 1 st at each end of 7 (7, 5, 5)th row from end of rib patt, then every 8th row 14 times (then every 8th row 14 times / then every alt 8th and 6th row 15 times / then every 6th row 17 times) = 82 (88, 96, 104) sts. Work even until piece meas 47 (45, 43, 41) cm from cast-on. Bind off all sts.

**Finishing**: Pin pieces to measurements and block. Sew shoulder seams. Neckband: With circular needle and Dark Blue (col 7166) for version A or Plum (col 7165) for version B, pick up and k 124 (128, 128, 128) sts evenly around neck edge. Place beg of rnd marker and join for working in rnds. Work in rib patt for 5 rnds. Bind off all sts in rib. Place markers 18 (19,5, 21.5, 23) cm down from shoulders on front and back [see \* on schematic]. Sew on sleeves between markers. Sew side and sleeve seams.






www.lana-grossa.com

### Gauge Swatch

#### Before you begin ...

...make a gauge swatch. Use the recommended needles, yarns and pattern stitch for your gauge swatch. It should measure approx. 12 cm x 12 cm. Cast-on and bind-off rows, as well as selvage stitches should not be included in the measurement. Pin your swatch and block it as you would the finished pieces of the garment. Count stitches and rows over 10 cm. If your gauge swatch is too small, switch to larger needles. If your gauge swatch is too big, switch to smaller needles.



#### **Abbreviations**

#### Publisher's Info

**Publisher:** Lana Grossa GmbH, Gaimersheim, www.lana-grossa.com **Photographer:** Nicolas Olonetzky, www.olonetzky.com